2nd half 206 fions provide the second RED NEXT DAY DELIVERY ON DROPSHIP PROMO ORDERS lungaloy

*SEE BACK PAGE FOR CONDITIONS

Leading Valid from July 1st to December 15th, 2024

im Innovation

www.tungaloy.com/us

Member IMC Group





EFFICIENCY AND PROFITABILITY TO YOUR SMALL BORING OPERATIONS **AS SMALL AS Ø0.6 MM**

New SH725 PVD grade provides a good combination of wear and fracture resistance, ensuring long tool life and wear prediction.

BUY 4 solid carbide bars AND GET 1 Corresponding sleeve sleeve Promo Code: TG27










INTERNAL GROOVING AND THREAD TURNING TOOL SERIES FOR BORES AS SMALL AS Ø5 MM (Ø0.197")

It offers unmatched precision and edge repeatability, thanks to its unique clamping system for rigid stability. **Featuring the latest PVD insert grade, SH7025,** for superior surface quality and process security.









DEEP FACE GROOVING OF UP TO 10 MM (0.393") DAXN AND UP TO 9 MM (0.354") GROOVE DEPTH IS POSSIBLE

Extremely rigid insert clamping ensures tool stability during deep face grooving operations. Sharp cutting edge, **combined with SH7025, the latest PVD grade,** provides long tool life and superior surface quality.







CW = 0.079", 0.118"



DOUBLE-ENDED SMALL-SIZE INTERNAL GROOVING INSERTS WITH EXCEPTIONAL FEATURES

Enhanced chatter resistance is achieved through optimized screw placement, which strengthens the insert clamping capability. Larger pockets facilitate more effective and smooth chip evacuation.

BUY 20 inserts **FREE** of charge! Promo Code: TG21 GET 1 corresponding head or toolholder Head: Inserts: DGS*S S-CTIRS-H... DTR*S **Toolholder:** CTIR**S DGS*S Lower cutting force and superior sharpness **CW** = 0.079", 0.118" DTR*S Full radius type







HIGH PRECISION GROOVING AND THREADING TOOL SERIES FOR CNC AUTOMATIC LATHES

Perfect for grooving and threading bar stocks of 0.472" (12 mm) or smaller diameters







1007

INNOVATIVE TURNING TOOL SERIES FOR CNC AUTOMATIC LATHES AND CAM-DRIVEN LATHES

Ideal for machining small parts of 0.472" (12 mm) or smaller diameters

BUY 10 inserts AND GET 1 toolholder



Inserts:

 JVPN**R/L (for Grooving and Parting-off)
 0606, 0707, 0808, and 1010 type

 CW = 0.020", 0.024", 0.031", 0.039" (0.5mm, 0.6mm, 0.8mm, 1mm)
 JVFN45R/L (for Front Turning)

 JVFN45/70 (Back Turning)*
 JVTN (Threading)*

 JVGN (Grooving)*
 JVNR/L (Blank insert)

*available from Sept. 2024

JVPN**R/L







Toolholder:





20





HIGH FEED MILLING CUTTERS ENABLING LONG OVERHANG APPLICATIONS AND EXTENDED TOOL LIFE

Optimal depth of cut can be selected in machining various work materials

BUY 10 inserts per pocket up to max 50 inserts GET 1Cutter



Limited up to diameter 5" (125 mm)

Inserts (Grades: AH3135, AH3225, AH120, AH130 AH8015):

SWMT09/15**ZER SWMT09/15**UER

Cutter bodies: Bore type: TXSW09/15 $DCX = \emptyset 1.5" - \emptyset 5"$

Shank type: EXSW09 DCX = Ø1" – Ø1.25"

Modular type: HXSW09 DCX = Ø25 – Ø32 mm




SWMT09/15**ZER Max. depth of cut - SWMT09**ZER: 0.059" - SWMT15**ZER: 0.098"



SWMT09/15**UER Max. depth of cut - SWMT09**UER: 0.039" - SWMT15**UER: 0.078"









ULTIMATE HIGH FEED MILLING CUTTER SERIES FOR MAXIMUM PRODUCTIVITY

Small diameter high-feed milling cutter for expanded application coverage, featuring cutter bodies as small as Ø0.375"





Valid from July 1st to December 15th, 2024



COMPLETE SOLUTION FOR SHOULDER MILLING WITH OUTSTANDING PERFORMANCE AND COST-EFFECTIVE INSERTS

Economical shoulder milling cutter with 3 cutting edged insert with wide range of sizes, grades and diameters

BUY 10 inserts per pocket up to max 50 inserts GET 1 Cutter

Limited up to diameter 5" (125 mm)

Insert (Grade: T1215, KS05F, T3225, AH8015, AH3135, AH3225, AH120): TO*T04/06/10/15 - MJ/MM/AJ/NMJ

Cutter bodies: Bore type: **TPA06/10/15** DC = Ø1.5" – Ø5", Ø32 mm – Ø125 mm

Shank type: EPA04/06/10/15 DC = Ø0.5" – Ø2", Ø8 mm – Ø50 mm

Modular type: HPA06/10-M DCX = Ø16 – Ø32 mm



50 %





TO*T10 APMX 0.394"

TO*T15 APMX 0.590"







EXCHANGEABLE HEAD DRILL SYSTEM FOR SUPERIOR DRILLING PERFORMANCE AND LONG TOOL LIFE

50 %

additional

discount!

Promo Codes Below

Quick drill tip change for reduced machine downtime. Tool inventory and management costs are significantly reduced as there is no need for regrinding.

BUY 6 drill heads **1** drill body GET up to 8xD

Drill heads (Grades: AH9130, KS15F): DMP, DMC, DMF, DMH, DMN

Drill bodies:

TID-F (1.5xD, 3xD, 5xD, 8xD) TID-R (3.5xD, 6xD, 8xD) TID-R-E (2xD) TIDC (3xD, 5xD) TID-M (2xD, 3xD) TID-S (2xD) TID-L-A-M



Drill dia.: ø0.236" - ø1.020" ø6 mm - ø25.9 mm 180° flat edges for counterboring and flat bottoms



DMP

Drill dia .:

ø0.236" - ø1.020"

ø6 mm - ø25.9 mm

head ideal for various

drilling applications

ø0.236" - ø1.020" ø6 mm - ø25.9 mm enhanced cutting edge



DMC

Drill dia .: ø0.236" - ø1.020" ø6 mm - ø25.9 mm General purpose drilling High precision drilling head with double-margined drill periphery and selfcentering chisel edge

DMN

Drill dia .: ø0.268" - ø0.768" ø6.8 mm - ø19.5 mm General purpose head with Drill head with sharp edges for non-ferrous materials








DRILLMEISTER Valid from July 1st to December 15th, 2024



DRILL BODIES LINEUP



MEMO



YOUR GATEWAY TO TUNGALOY SUCCESS REPORTS!

We invite you to visit the updated TSR platform and discover how Tungaloy's products have successfully met diverse challenges and delivered outstanding results. These reports can provide insights and inspiration for your own applications and projects, offering detailed solutions to succeed in various industrial fields.

Find applications that fit your current needs, elevate your productivity, and solve your production bottlenecks.

	AddDoFeed - Machine Part - AH3225		
	ADDIFFEED MERCIPE PRODUCTIVITY & COST Additives provide that dealers the long into length, additives provide that is a devased that is to account of the long into length, account of the length, account	17	
	there (C)		e o o
	industry Engineering		
	Gemponent Machine Part		and the second se
	Material ISO code 🖉 P - Steel	Q. Search by te	nywords Search
	Work material \$500		
	Machine(spindle Vertical Machine) Center Secol(#30, 1974) #024403	Search Con	nditions (new)
	Too tamily Miling		
	Tool calegory Face miling		2
	Product same Additional	Tool	2
	Tan No. SORM	Tool family	
	Teel Cutting co	ditions	
	Tangalay Compation	Tunpiley Competition Al	· •
	Body Description Delid carbidy and Carbidy and	et 148 94 Tool category	
	tit mit Effective i Suttinu dammer in in sin of facts	nter 2 14	: 4
	Cutting diameter (2) 10 of teeth		
		Product name	
	And the state of the state of the	A1	0
5	1, -1, -1, -1, -1, -1,	1 1 1 1 1 1	
		I Industry / Comp	ponent.
	and the second sec	Industry	
		A	
		~	
		Component	
		N	1



间隙积极

Leading in Innovation



3726 N Ventura Dr. Arlington Heights, IL, 60004 (888)-554-8394 tungaloy.com/us

FREE UPS RED Next Day Shipping Conditions:

Eligibility: Free UPS Red shipping is available for promotional orders shipped directly from the Tungaloy-NTK America warehouse to the end user within the continental U.S. **Deadline:** Only orders placed before **September 30th** are valid for free shipping.

Stock Requirements: Promotional items must be in stock in the Tungaloy-NTK America warehouse, and the order must ship complete to qualify for the free shipping offer.

Order Contents: Orders must include promotional items only to qualify for free shipping.

Promo Code: Please use the specified Promo Code when placing orders.

Free shipping is available exclusively for orders processed through our customer service team before September 30th. To take advantage of this offer, please contact our customer service representatives at 888-554-8394 or orders@ tungaloy-ntk.com.





tungaloy.com/us

follow us at: facebook.com/TungaloyNTK instagram.com/tungaloyntkamerica linkedin.com/company/tungaloyntkamerica tiktok.com/@tungaloyntkamerica

To see Tungaloy products in action visit:

YouTube www.youtube.com/tungaloycorporation

Distributed by:



FIND US ON THE CLOUD! machiningcloud.com



ISO 14001 Certified